

www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.


Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.


Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

Index Map for Areas that May Include Alluvial Fans
 Prepared by the California Geological Survey for the Department of Water Resources


June 2012

For full map explanation and references, please refer to Appendix E of CGS Special Report 217.








www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.





www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

Paso Robles 30' x 60'
 June 2012




www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.





DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.



Delano 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

118°0'0"W
Isabella Lake 30' x 60'
 June 2012



www.conservacion.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

117°0'0"W
Ridgecrest 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AFI), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

Owlshead Mountains 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.




DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:

Mesquite Lake 30' x 60'
 June 2012



www.conservacion.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

San Luis Obispo 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

119°0'0"W
Taft 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTI Integrated Approach process (AFI), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Tehachapi 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Cuddeback Lake 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Soda Mountains 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs¹ Areas that may contain alluvial fans
- Qs² Topographically low areas (playa lakes; coastal lowlands), may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

Ivanpah 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.





DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:

114°00'W
 Davis Dam 30' x 60'
 June 2012






www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.





www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

119°0'0"W
 Cuyama 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Lancaster 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:**
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:**
- U Bedrock, hilly, or mountainous areas
- Water:**
- Water

117°0'0"W
 Victorville 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Newberry Springs 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

Amboy 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

Needles 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.





DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:

Point Conception 30' x 60'
 June 2012



www.conservacion.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.




DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:**
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:**
- U Bedrock, hilly, or mountainous areas
- Water:**

119°0'0"W
 Santa Barbara 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:
 Qs1 Areas that may contain alluvial fans
 Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
Uplands:
 U Bedrock, hilly, or mountainous areas
Water:

Los Angeles 30' x 60'
 June 2012





www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:
 Qs1 Areas that may contain alluvial fans
 Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
Uplands:
 U Bedrock, hilly, or mountainous areas
Water:



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.


1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:**
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:**
- U Bedrock, hilly, or mountainous areas
- Water:**

Big Bear Lake 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AFI), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water bodies

116°00'W 115°30'0"W 115°00'W
 Sheep Hole Mts. 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.



Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Long Beach 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Santa Ana 30' x 60'
June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFIT Integrated Approach process (AFI), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans


Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Palm Springs 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.


1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AFI), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands), may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:


Eagle Mountains 30' x 60'
 June 2012



ARIZONA



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.




DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:

114°0'0"W
Blythe 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.





DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:**
- Qs¹ Areas that may contain alluvial fans
 - Qs² Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:**
- U Bedrock, hilly, or mountainous areas
- Water:**

Santa Catalina Island 30' x 60'
 June 2012



www.conservacion.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Oceanside 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Borrego Valley 30' x 60'
 June 2012



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1 1/2 miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs¹ Areas that may contain alluvial fans
- Qs² Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas

Water:

- Water

Salton Sea 30' x 60'
June 2012





www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			


DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:**
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:**
- U Bedrock, hilly, or mountainous areas
- Water:**
- Water



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley


alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:
 Qs1 Areas that may contain alluvial fans
 Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
Uplands:
 U Bedrock, hilly, or mountainous areas
Water:

San Diego 30' x 60'
 June 2012



MEXICO



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33		
34	35	36	37	38		
39	40	41	42			

DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cutting off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

Quaternary Sediments:

- Qs1 Areas that may contain alluvial fans
- Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans



Uplands:

- U Bedrock, hilly, or mountainous areas


Water:

- Water

El Cajon 30' x 60'
 June 2012





www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.




DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFIT Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs1 Areas that may contain alluvial fans
 - Qs2 Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water:



www.conservation.ca.gov/cgs
 The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.
 Copyright © 2012 by the California Department of Conservation. All rights reserved. No part of this publication may be reproduced without written consent of the California Geological Survey.
 Information on this map is not sufficient to serve as a substitute for the geologic and geotechnical site investigations required under Chapters 7.5 and 7.8 of Division 2 of the California Public Resources Code.



DATA LIMITATIONS
 The *Simplified Map of Areas That May Include Alluvial Fans* is intended to provide information on the general distribution of alluvial fan deposits in the 10 Southern California counties specifically for the AFTF Integrated Approach process (AF1), and is not intended for unrelated uses. Representation of the data set, either digital, or on paper, should not exceed, or show finer detail than, a scale of 1:100,000 (1-inch equals about 1½ miles).
 The database and associated maps do not replace Federal Emergency Management Agency (FEMA) maps or guidelines for determining if a site is located on an alluvial fan, and do not differentiate "active" from "inactive" alluvial fan surfaces per FEMA Guidelines and Specifications for Mapping Partners - Appendix G (FEMA, 2003).
 Additionally, the database and maps are compiled from many data sources. In the processes of compiling published geologic data mapped under different surficial geologic nomenclatures, it was found that while one group of mappers differentiated fan deposits from valley alluvium, others did not. Because of this, it was necessary to combine valley

alluvium with fan deposits, resulting in the incorporation of alluvium that is either isolated, or within canyons far beyond areas commonly considered as the topographic apex of a fan. The advantage of incorporating these alluvial units is that smaller "side canyon" type alluvial fans are included in the data. Therefore, depending on the location and data source, the data may show the Qs polygon cut off at the mountain front, as is consistent with the manual digitizing of some of the maps, or the Qs polygon extending deep into the mountain range, as is consistent with polygon areas resulting from CGS compilation mapping.
 Lastly, because of the vast differences in nomenclature in the source data, and the compounding effect of using both a digital compilation, and manual digitizing, the final product is not a geologic map, and does not conform to any specific geologic mapping nomenclature, or the North American Stratigraphic Code.
 For full map explanation and references, please refer to Appendix E of CGS Special Report 217.

- Quaternary Sediments:
- Qs¹ Areas that may contain alluvial fans
 - Qs² Topographically low areas (playa lakes; coastal lowlands); may contain distal portion of alluvial fans
- Uplands:
- U Bedrock, hilly, or mountainous areas
- Water: