

California Department of Conservation

FARMLAND MAPPING AND MONITORING PROGRAM

SOIL CANDIDATE LISTING

FOR

PRIME FARMLAND AND FARMLAND OF STATEWIDE IMPORTANCE

KERN COUNTY

U.S. Department of Agriculture, Natural Resources Conservation Service,
soil surveys for Kern County include:

Soil Survey of Antelope Valley Area, California, January 1970

Soil Survey of Kern County, Southeastern Part, September 1981

Soil Survey of Kern County, Northwestern Part, September 1988

Soil Survey of Los Padres National Forest Area, August 2004

Soil Survey of Edwards Air Force Base, California, April 2005

Soil Survey of Mojave Desert Area, Northwest Part, May 2007

Soil Survey of Kern County, Northeastern Part and Southeastern Part of Tulare
County, June 2007

Soil Survey of Sequoia National Forest, Parts of Fresno, Kern and Tulare
Counties, April 2008

Soil Survey of Kern County, Southwest Part, September 2008

KERN COUNTY
PRIME FARMLAND SOILS

Beginning in 2002, SSURGO digital soil information has been incorporated into the Kern County Important Farmland Map. Prior versions of the map have not been modified.

The SSURGO data includes Antelope Valley Area (published 09/17/2018), Kern County, Northwestern Part (published 09/14/2018), Kern County, Northeastern Part and Southeastern Part of Tulare County (published 09/13/2018), Kern County, Southeastern Part (published 09/20/2018), Kern County, Southwest Part (published 09/12/2018), Edwards Air Force Base (published 09/13/2018), Mojave Desert Area, Northwest Part (published 09/17/2018), Sequoia National Forest, Parts of Fresno, Kern, and Tulare Counties (published 09/12/2018), and Los Padres National Forest Area (published 09/12/2018). The digital surveys contain additional soil units beyond those published in the original paper surveys. Soils on the Prime Farmland and Farmland of Statewide Importance lists that only occur in the SSURGO data are appended in italics at the end of each list.

For more information on the NRCS SSURGO data, please visit the NRCS Soil Geography webpage: <http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/survey/geo/>

THESE SOIL MAPPING UNITS MEET THE CRITERIA FOR PRIME FARMLAND AS OUTLINED IN THE U.S. DEPARTMENT OF AGRICULTURE'S LAND INVENTORY AND MONITORING (LIM) PROJECT FOR THE ANTELOPE VALLEY AREA; KERN COUNTY, NORTHWESTERN PART; KERN COUNTY, NORTHEASTERN PART AND SOUTHEASTERN PART OF TULARE COUNTY; KERN COUNTY, SOUTHEASTERN PART; KERN COUNTY, SOUTHWEST PART; EDWARDS AIR FORCE BASE; MOJAVE DESERT AREA, NORTHWEST PART; SEQUOIA NATIONAL FOREST, PARTS OF FRESNO, KERN, AND TULARE COUNTIES; AND LOS PADRES NATIONAL FOREST AREA, SOIL SURVEYS.

ANTELOPE VALLEY AREA

<u>SYMBOL</u>	<u>NAME</u>
AaB	Adelanto loamy sand, 2 to 5 percent slopes
AcA	Adelanto coarse sandy loam, 2 to 5 percent slopes
AdB	Adelanto gravelly sandy loam, 2 to 5 percent slopes
CaA	Cajon loamy sand, 0 to 2 percent slopes
CaC	Cajon loamy sand, 2 to 9 percent slopes
CbA	Cajon loamy sand, loamy substratum, 0 to 2 percent slopes
CcA2	Cajon loamy fine sand, 0 to 2 percent slopes, hummocky
Co*	Chino loam
GsA	Greenfield sandy loam, 0 to 2 percent slopes
GsC	Greenfield sandy loam, 2 to 9 percent slopes
GsC2	Greenfield sandy loam, 2 to 9 percent slopes, eroded
HaB2	Hanford loamy sand, 2 to 5 percent slopes, hummocky
HbA	Hanford coarse sandy loam, 0 to 2 percent slopes
HbC	Hanford coarse sandy loam, 2 to 9 percent slopes
HcA	Hanford sandy loam, 0 to 2 percent slopes
HcC	Hanford sandy loam, 2 to 9 percent slopes
HdC	Hanford gravelly sandy loam, 2 to 9 percent slopes
HeC	Hanford sandy loam, calcareous variant, 2 to 9 percent slopes
HfA	Hanford loam, 0 to 2 percent slopes
HgA	Hesperia loamy fine sand, 0 to 2 percent slopes
HgA2	Hesperia loamy fine sand, 0 to 2 percent slopes, hummocky
HgB	Hesperia loamy fine sand, 2 to 5 percent slopes
HkA	Hesperia fine sandy loam, 0 to 2 percent slopes
HkB	Hesperia fine sandy loam, 2 to 5 percent slopes
HmA	Hesperia fine sandy loam, loamy substratum, 0 to 2 percent slopes
HnA	Hesperia loam, 0 to 2 percent slopes
MfA	Metz loamy sand, 0 to 2 percent slopes
MfC	Metz loamy sand, 2 to 9 percent slopes

KERN COUNTY
PRIME FARMLAND SOILS

<u>SYMBOL</u>	<u>NAME</u>
MgA	Metz loam, 0 to 2 percent slopes
MgB	Metz loam, 2 to 5 percent slopes
MoA	Mocho sandy loam, 0 to 2 percent slopes
MpA	Mocho loam, 0 to 2 percent slopes
MpC	Mocho loam, 2 to 9 percent slopes
MzB	Mohave coarse sandy loam, 2 to 5 percent slopes
OaC	Oakdale sandy loam, 2 to 9 percent slopes
ObA	Oak Glen sandy loam, 0 to 2 percent slopes
ObC	Oak Glen sandy loam, 2 to 9 percent slopes
OcC	Oak Glen gravelly sandy loam, 2 to 9 percent slopes
OdA	Oak Glen loam, 0 to 2 percent slopes
OdC	Oak Glen loam, 2 to 9 percent slopes
OgC	Ojai loam, 2 to 9 percent slopes
RcA	Ramona coarse sandy loam, 0 to 2 percent slopes
RcB	Ramona coarse sandy loam, 2 to 5 percent slopes
ReC	Ramona gravelly sandy loam, 2 to 9 percent slopes
RfB	Ramona loam, 2 to 5 percent slopes
Rm	Rosamond loamy fine sand
Rm2	Rosamond loamy fine sand, hummocky
Ro	Rosamond fine sandy loam
Rp	Rosamond loam
Rs	Rosamond loam, sandy loam substratum
Rt	Rosamond silty clay loam
SsA	Sorrento loam, 0 to 2 percent slopes
SsB	Sorrento loam, 2 to 5 percent slopes
Tu	Tray sandy loam
VaA	Vernalis sandy loam, 0 to 2 percent slopes
VbA	Vernalis loam, 0 to 2 percent slopes
VbB	Vernalis loam, 2 to 5 percent slopes
VcA	Vernalis clay loam, 0 to 2 percent slopes
WgC	Wyman gravelly loam, 2 to 9 percent slopes
YoA	Yolo loam, fan piedmont, 0 to 9 percent slopes
YoC	Yolo loam, 2 to 9 percent slopes
ZaC	Zamora loam, 2 to 9 percent slopes
ZcC	Zamora clay loam, 2 to 9 percent slopes

* Prime farmland if drained. (Soil Co)

KERN COUNTY, NORTHWESTERN PART

<u>SYMBOL</u>	<u>NAME</u>
123	Buttonwillow clay, drained
124	Buttonwillow clay, partially drained
125	Granoso loamy sand, 0 to 2 percent slopes
126	Granoso loamy sand, 2 to 5 percent slopes
127	Granoso sandy loam, 0 to 2 percent slopes, overwash
130	Chanac clay loam, 2 to 9 percent slopes
138	Delano sandy loam, 0 to 2 percent slopes
139	Delano sandy loam, 2 to 5 percent slopes
140	Delano sandy loam, 5 to 9 percent slopes
141	Delano sandy clay loam, 0 to 2 percent slopes
143	Delano variant clay loam, 0 to 9 percent slopes
145	Driver coarse sandy loam, 0 to 2 percent slopes
152	Excelsior sandy loam, 0 to 2 percent slopes
153	Excelsior variant silt loam
159	Hesperia sandy loam, 0 to 2 percent slopes
160	Hesperia sandy loam, 2 to 9 percent slopes
174	Kimberlina fine sandy loam, 0 to 2 percent slopes
175	Kimberlina sandy loam, 2 to 5 percent slopes
177	Kimberlina gravelly sandy loam, 2 to 5 percent slopes
178	Kimberlina gravelly sandy loam, 5 to 9 percent slopes
184	Lewkalb sandy loam, 0 to 2 percent slopes
187	Lokern clay, drained
192	McFarland loam
196	Milham sandy loam, 0 to 2 percent slopes
197	Milham sandy loam, 2 to 5 percent slopes
211	Panoche clay loam, 0 to 2 percent slopes
212	Panoche clay loam, 2 to 5 percent slopes
222	Premier coarse sandy loam, 2 to 5 percent slopes
235	Twisselman clay, 0 to 2 percent slopes
236	Twisselman clay, 2 to 5 percent slopes
243	Wasco sandy loam
244	Wasco fine sandy loam
245	Westhaven fine sandy loam
246	Whitewolf coarse sandy loam, 0 to 2 percent slopes
251	Yribarren loam, 0 to 2 percent slopes
252	Yribarren clay loam, 0 to 2 percent slopes
253	Yribarren clay loam, 2 to 5 percent slopes
254	Zerker loam, 2 to 5 percent slopes
256	Zerker sandy clay loam, 0 to 2 percent slopes
130tw*	<i>Nord fine sandy loam, 0 to 2 percent slopes</i>
145ne	<i>Delano loamy sand, 0 to 2 percent slopes</i>
146ne	<i>Delano sandy loam, 1 to 5 percent slopes</i>
150ki	<i>Panoche loam, 0 to 2 percent slopes</i>

KERN COUNTY
PRIME FARMLAND SOILS

<u>SYMBOL</u>	<u>NAME</u>
165ki	<i>Twisselman silty clay</i>
197ne	<i>Nord fine sandy loam, 0 to 2 percent slopes, rarely flooded</i>
200ne	<i>Urban land-Delano complex, 0 to 2 percent slopes</i>

* Prime farmland if either protected from flooding or not frequently flooded during the growing season. (Soil 130tw)

KERN COUNTY, NORTHEASTERN PART and SOUTHEASTERN PART of TULARE COUNTY

<u>SYMBOL</u>	<u>NAME</u>
136	Hesperia sandy loam, 2 to 9 percent slopes
138	Hesperia sandy loam, 0 to 2 percent slopes
145	Delano loamy sand, 0 to 2 percent slopes
146	Delano sandy loam, 1 to 5 percent slopes
147	Chanac clay loam, 2 to 9 percent slopes
148	Delano sandy clay loam, 0 to 2 percent slopes
149	Delano sandy loam, 5 to 9 percent slopes
152	Pleito gravelly sandy clay loam, 2 to 5 percent slopes
166	Delano-Urban land complex, 0 to 2 percent slopes
193	Chanac-Pleito complex, 2 to 5 percent slopes
197	Nord fine sandy loam, 0 to 2 percent slopes, rarely flooded
198	Centerville-Delvar complex, 2 to 9 percent slopes
200	Urban land-Delano complex, 0 to 2 percent slopes
210*	Kernfork fine sandy loam, 0 to 2 percent slopes, occasionally flooded
222*	Kelval fine sandy loam, 0 to 2 percent slopes, occasionally flooded
265	Arujo sandy loam, 9 to 15 percent slopes
281	Havala-Walong-Kernfork association, 1 to 20 percent slopes
303	Steuber sandy loam, 0 to 5 percent slopes
312	Havala sandy loam, 2 to 5 percent slopes
316	Premier coarse sandy loam, 5 to 9 percent slopes
317	Premier coarse sandy loam, 2 to 5 percent slopes
422	Kelval-Urban land complex, 0 to 2 percent slopes
465	Arujo-Urban land complex, 0 to 15 percent slopes
554	Deerspring fine sandy loam, 0 to 5 percent slope

* Prime Farmland if drained. (Soils 210 and 222)

KERN COUNTY, SOUTHEASTERN PART

<u>SYMBOL</u>	<u>NAME</u>
109	Arvin sandy loam, 2 to 5 percent slopes
110	Arvin sandy loam, 5 to 9 percent slopes
127	DiGiorgio sandy clay loam, 0 to 2 percent slopes
137	Garlock loamy sand, 2 to 9 percent slopes
140	Havala sandy loam, 0 to 2 percent slopes
141	Havala sandy loam, 2 to 5 percent slopes
142	Havala sandy loam, 5 to 9 percent slopes
144	Hesperia sandy loam, 0 to 2 percent slopes
145	Hesperia sandy loam, 2 to 5 percent slopes
159	Pleito sandy clay loam, 2 to 5 percent slopes
161	Pleito-Chanac sandy clay loams, 5 to 9 percent slopes
174	Steuber sandy loam, 0 to 2 percent slopes
175	Steuber sandy loam, 2 to 5 percent slopes
176	Steuber sandy loam, 5 to 9 percent slopes
179	Tehachapi sandy loam, 2 to 15 percent slopes
201	Wasioja sandy loam, 2 to 9 percent slopes
203	Whitewolf loamy sand, 2 to 5 percent slopes
152ne	<i>Pleito gravelly sandy clay loam, 2 to 5 percent slopes</i>
193ne	<i>Chanac-Pleito complex, 2 to 5 percent slopes</i>

KERN COUNTY, SOUTHWEST PART

<u>SYMBOL</u>	<u>NAME</u>
101	Bakersfield fine sandy loam, drained, 0 to 1 percent slopes
110	Buttonwillow clay, partially drained, 0 to 1 percent slopes
122	Granoso loamy sand, loamy substratum, 0 to 2 percent slopes
130	Cerini sandy loam, 0 to 2 percent slopes
132	Cerini loam, 0 to 2 percent slopes
134	Cerini loam, 2 to 5 percent slopes
153	Tupman gravelly sandy loam, 0 to 2 percent slopes
179	Padres sandy loam, 0 to 2 percent slopes
200	Hesperia loamy sand, 0 to 2 percent slopes
201	Hesperia sandy loam, 0 to 2 percent slopes
210	Kimberlina fine sandy loam, 0 to 2 percent slopes
214	Kimberlina gravelly sandy loam, 0 to 2 percent slopes
215	Kimberlina gravelly sandy loam, 5 to 9 percent slopes
220	Lokern clay, drained, 0 to 1 percent slopes
230	Milagro loamy sand, 0 to 1 percent slopes
231	Milagro fine sandy loam, 0 to 1 percent slopes
246	Whitewolf coarse sandy loam, 0 to 2 percent slopes
260	Panoche loam, 0 to 1 percent slopes
280	Premier sandy loam, 0 to 2 percent slopes
281	Premier sandy loam, 2 to 5 percent slopes
320	Wasco sandy loam, 0 to 1 percent slopes
390	Pleito sandy clay loam, 0 to 2 percent slopes
391	Pleito sandy clay loam, 2 to 5 percent slopes
392	Pleito sandy clay loam, 5 to 9 percent slopes
490	Padres sandy loam, 2 to 9 percent slopes
500	Bitcreek sandy clay loam, 2 to 5 percent slopes
600	Positas-Bitcreek complex, 2 to 9 percent slopes
940	Bitcreek sandy loam, 2 to 9 percent slopes

EDWARDS AIR FORCE BASE

There are no soils that qualify for Prime Farmland.

MOJAVE DESERT AREA, NORTHWEST PART

There are no soils that qualify for Prime Farmland.

SEQUOIA NATIONAL FOREST, PARTS of FRESNO, KERN, and TULARE COUNTIES

<u>SYMBOL</u>	<u>NAME</u>
177tc	<i>Yettem sandy loam, 2 to 5 percent slopes</i>
281ne	<i>Havala-Walong-Kernfork association, 1 to 20 percent slopes</i>
554ne	<i>Deerspring fine sandy loam, 0 to 5 percent slopes</i>
AlBef	<i>Aiken loam, 2 to 9 percent slopes, S Low Montane</i>
VaAef	<i>Visalia sandy loam, 0 to 3 percent slopes</i>

LOS PADRES NATIONAL FOREST AREA

<u>SYMBOL</u>	<u>NAME</u>
AnC	Anacapa gravelly sandy loam, 2 to 9 percent slopes
CyC	Cropley clay, 2 to 9 percent slopes
KmC2	Kimball sandy loam, 2 to 9 percent slopes, eroded
OhC2	Ojai very fine sandy loam, 2 to 9 percent slopes, eroded
PnC	Pleasanton sandy loam, 2 to 9 percent slopes
RcC	Rincon silty clay loam, 2 to 9 percent slopes
SaC	Salinas clay loam, 2 to 9 percent slopes
SzC	Sorrento clay loam, heavy variant, 2 to 9 percent slopes
133pr	<i>Cropley clay, 2 to 9 percent slopes</i>
147pr	<i>Hanford and Greenfield soils, 0 to 2 percent slopes</i>
173pr	<i>Mocho clay loam, 0 to 2 percent slopes</i>
188pr	<i>Rincon clay loam, 2 to 9 percent slopes</i>
207pr	<i>Still gravelly loam, 0 to 2 percent slopes</i>
208pr	<i>Still clay loam, 0 to 2 percent slopes</i>
209pr	<i>Still clay loam, 2 to 9 percent slopes</i>
470cp	<i>Botella sandy loam, 2 to 9 percent slopes</i>
475cp	<i>Elder sandy loam, 2 to 9 percent slopes</i>

KERN COUNTY
FARMLAND OF STATEWIDE
IMPORTANCE SOILS

THESE SOIL MAPPING UNITS MEET THE CRITERIA FOR FARMLAND OF STATEWIDE IMPORTANCE AS OUTLINED IN THE U.S. DEPARTMENT OF AGRICULTURE'S LAND INVENTORY AND MONITORING (LIM) PROJECT FOR THE ANTELOPE VALLEY AREA; KERN COUNTY, NORTHWESTERN PART; KERN COUNTY, NORTHEASTERN PART AND SOUTHEASTERN PART OF TULARE COUNTY; KERN COUNTY, SOUTHEASTERN PART; KERN COUNTY, SOUTHWEST PART; EDWARDS AIR FORCE BASE; MOJAVE DESERT AREA, NORTHWEST PART; SEQUOIA NATIONAL FOREST, PARTS OF FRESNO, KERN, AND TULARE COUNTIES; AND LOS PADRES NATIONAL FOREST AREA, SOIL SURVEYS.

ANTELOPE VALLEY AREA

<u>SYMBOL</u>	<u>NAME</u>
AtA	Arizo loamy fine sand, 0 to 2 percent slopes
AyD	Ayar clay loam, 5 to 15 percent slopes
CkC	Castaic silty clay loam, 2 to 9 percent slopes
CyA	Cortina sandy loam, 0 to 2 percent slopes
CyC	Cortina sandy loam, 2 to 9 percent slopes
HbD	Hanford coarse sandy loam, 9 to 15 percent slopes
Me	Merrill sandy loam
RcC	Ramona coarse sandy loam, 5 to 9 percent slopes
RfC	Ramona loam, 5 to 9 percent slopes
Rr	Rosamond loam, saline-alkali
Ru	Rosamond silty clay loam, saline-alkali
Su	Sunrise loamy fine sand
Sv	Sunrise sandy loam
Sx	Sunrise loam
Sy	Sunrise loam, saline-alkali
Tt2	Tray fine sand, hummocky
Tv	Tray sandy loam, saline-alkali
Tw	Tray loam, saline-alkali
VsD2	Vista coarse sandy loam, 9 to 15 percent slopes, eroded

KERN COUNTY
FARMLAND OF STATEWIDE
IMPORTANCE SOILS

KERN COUNTY, NORTHWESTERN PART

<u>SYMBOL</u>	<u>NAME</u>
109	Ayar silty clay, 5 to 9 percent slopes
128	Capay silty clay, 2 to 9 percent slopes
154	Exeter sandy loam, 0 to 2 percent slopes
155	Exeter sandy loam, 2 to 9 percent slopes
156	Garces silt loam
157	Garces silt loam, moderately wet
158	Garces silt loam, hard substratum
176	Kimberlina sandy loam, 5 to 9 percent slopes
179	Kimberlina fine sandy loam, saline-sodic, 0 to 2 percent slopes
181	Lerdo clay loam, saline-alkali, partially drained
182	Lerdo complex, drained
198	Milham sandy loam, 5 to 9 percent slopes
204	Myers variant clay, 2 to 9 percent slopes
213	Panoche clay loam, 5 to 9 percent slopes
214	Calflax clay loam, saline-sodic, 0 to 2 percent slopes
215	Calflax clay loam, saline-sodic, wet, 0 to 1 percent slopes
220	Pottinger very shaly clay loam, 2 to 9 percent slopes
221	Pottinger very shaly clay loam, 9 to 15 percent slopes
223	Premier coarse sandy loam, 5 to 9 percent slopes
255	Zerker loam, 5 to 9 percent slopes
103tw	<i>Atesh-Jerryslu association, 0 to 2 percent slopes</i>
111tw	<i>Delvar clay loam, 2 to 9 percent slopes</i>
114tw	<i>Exeter loam, 0 to 2 percent slopes</i>
119tw	<i>Gareck-Garces association, 0 to 2 percent slopes</i>
129tw	<i>Nahrub silt loam, overwashed, 0 to 1 percent slopes</i>
138ki	<i>Lethent fine sandy loam</i>
139ki	<i>Lethent clay loam</i>
166ki	<i>Twisselman silty clay, saline-alkali</i>
194ne	<i>Pleito-Delvar complex, 2 to 15 percent slopes</i>

KERN COUNTY
FARMLAND OF STATEWIDE
IMPORTANCE SOILS

KERN COUNTY, NORTHEASTERN PART and SOUTHEASTERN PART of TULARE COUNTY

<u>SYMBOL</u>	<u>NAME</u>
143	Calicreek loamy coarse sand, 0 to 2 percent slopes, rarely flooded
184	Cuyama sandy loam, 2 to 5 percent slopes
194	Pleito-Delvar complex, 2 to 15 percent slopes
196	Exeter sandy loam, 2 to 9 percent slopes
199	Exeter sandy loam, 0 to 2 percent slopes
213	Calicreek loamy coarse sand, 0 to 2 percent slopes, occasionally flooded
246	Chollawell gravelly loamy coarse sand, 5 to 15 percent slopes
315	Premier-Haplodurids complex, 2 to 9 percent slopes
407	Centerville clay, 2 to 5 percent slopes
411	Delvar clay loam, 2 to 9 percent slopes
505	Chollawell gravelly loamy coarse sand, 5 to 20 percent slopes
514	Chollawell-Inyo complex, 5 to 15 percent slopes

KERN COUNTY, SOUTHEASTERN PART

<u>SYMBOL</u>	<u>NAME</u>
105	Arujo sandy loam, 9 to 15 percent slopes
113	Cajon sand, 5 to 15 percent slopes
114	Cajon loamy sand, 0 to 5 percent slopes
125	DeStazo sandy loam, 0 to 2 percent slopes
143	Havala sandy loam, 9 to 15 percent slopes
146	Hesperia sandy loam, 5 to 9 percent slopes
163	Porterville clay, 5 to 9 percent slopes
172	Rosamond clay loam, saline-alkali
173	Rosamond variant sandy loam, 5 to 15 percent slopes
186	Tujunga loamy sand, 2 to 5 percent slopes
143ne	<i>Calicreek loamy coarse sand, 0 to 2 percent slopes, rarely flooded</i>
184ne	<i>Cuyama sandy loam, 2 to 5 percent slopes</i>
213ne	<i>Calicreek loamy coarse sand, 0 to 2 percent slopes, occasionally flooded</i>

KERN COUNTY
FARMLAND OF STATEWIDE
IMPORTANCE SOILS

KERN COUNTY, SOUTHWEST PART

<u>SYMBOL</u>	<u>NAME</u>
102	Bakersfield sandy loam, partially drained, 0 to 1 percent slopes
120	Granoso loamy sand, 0 to 2 percent slopes
121	Granoso loamy sand, 2 to 5 percent slopes
123	Granoso sandy loam, 0 to 2 percent slopes, overwash
124	Granoso gravelly loamy sand, 0 to 2 percent slopes
131	Calflax fine sandy loam, 0 to 1 percent slopes
133	Calflax loam, 0 to 1 percent slopes
140	Copus silty clay, partially drained, 0 to 1 percent slopes
150	Excelsior sandy loam, 0 to 2 percent slopes
152	Excelsior loam, 0 to 2 percent slopes
180	Garces loam, 0 to 1 percent slopes
190	Guijarral sandy loam, 0 to 2 percent slopes
191	Guijarral sandy loam, 2 to 9 percent slopes
192	Guijarral-Klipstein complex, 2 to 5 percent slopes
211	Kimberlina fine sandy loam, 2 to 5 percent slopes
212	Kimberlina fine sandy loam, saline-sodic, 0 to 2 percent slopes
221	Lokern clay, partially drained, 0 to 1 percent slopes
250	Oldriver loam, drained, 0 to 1 percent slopes
251	Oldriver loam, partially drained, sodic, 0 to 1 percent slopes
330	Cuyama sandy loam, 2 to 5 percent slopes
331	Cuyama sandy loam, 5 to 15 percent slopes
370	Whitewolf loamy sand, 0 to 2 percent slopes
371	Whitewolf loamy sand, 2 to 5 percent slopes
380	Zalvidea sandy loam, partially drained, 0 to 2 percent slopes
381	Zalvidea sandy clay loam, partially drained, 0 to 1 percent slopes
442	Elkhills sandy loam, 5 to 15 percent slopes
680	Milham sandy loam, 0 to 5 percent slopes

EDWARDS AIR FORCE BASE

There are no soils that qualify for Farmland of Statewide Importance.

KERN COUNTY
FARMLAND OF STATEWIDE
IMPORTANCE SOILS

MOJAVE DESERT AREA, NORTHWEST PART

<u>SYMBOL</u>	<u>NAME</u>
4240	<i>Chollawell gravelly sandy loam, 5 to 15 percent slopes</i>
4241	<i>Chollawell-Inyo complex, 5 to 15 percent slopes</i>
4242	<i>Chollawell gravelly loamy coarse sand, 5 to 20 percent slopes</i>

SEQUOIA NATIONAL FOREST, PARTS of FRESNO, KERN, and TULARE COUNTIES

<u>SYMBOL</u>	<u>NAME</u>
246ne	<i>Chollawell gravelly loamy coarse sand, 5 to 15 percent slopes</i>
505ne	<i>Chollawell gravelly loamy coarse sand, 5 to 20 percent slopes</i>
WhBef	<i>Wisheylu loam, 3 to 9 percent slopes</i>

LOS PADRES NATIONAL FOREST AREA

<u>SYMBOL</u>	<u>NAME</u>
AzC	<i>Azule gravelly loam, 5 to 9 percent slopes, warm</i>
KmD2	<i>Kimball sandy loam, 9 to 15 percent slopes, eroded</i>
Psd	<i>Pleasanton gravelly very fine sandy loam, 9 to 15 percent slopes</i>
WaC	<i>Wasioja fine sandy loam, 5 to 9 percent slopes</i>
148pr	<i>Hanford and Greenfield soils, 2 to 9 percent slopes</i>
166pr	<i>Metz loamy sand, 0 to 5 percent slopes</i>
301cp	<i>Arbuckle sandy loam, 2 to 9 percent slopes</i>